

HEADSIGHT INC.

HARVESTING SOLUTIONS



3529 Fir Rd. Bremen, IN 46506
Ph: 574-546-5022 Fax: 574-546-5760
info@headsight.com www.headsight.com



ELECTRICAL ADAPTERS FOR UNMATCHED COMBINES AND HEADERS

JD 600F and 900F CONVERSIONS

Adapt JD600F or 900F to D-A-M combines

Converts electronics of

2000 or newer JD flex header

To 1999 or older JD combine w/D-A-M

in less than 15 minutes!



- * Plug and go set up
- * Eliminates need for BH84098, BH84095 & BH84096 for 600F
- * Gives the operator infinite height control instead of only 3 positions
- * Simply remove when using 50 or 60 series combine

Ordering Part Numbers:

900F = HPO-JD10-31J

600F = HPO-JD10-31Q

Adapt JD600F to CIH, NH, or AGCO combines

- ✓ Converts all required electrical functions
- ✓ Gives the operator in cab controls of HydraFlex™ function
- ✓ Includes in-cab pressure indicator
- ✓ No splicing required
- ✓ Works with or without Fieldtracker™



Electrical Interface



600F Pressure Gauge for CIH combine

JD 50 and 60 Series Combines to pre-2000 900 Flex

Headers

Ordering Part Numbers:

HT3300 Height Bundle

HT3350 Tilt Bundle

HP3-JD53-16 Harness

HP3-JD63-16 Harness

Provides wiring for a 900 Flex header to match a JD 50 or 60 series combine. Includes wiring for contour and header height sensors, and pigtail to plug into 16 pin header connector. Includes bracket for 50 series combines.

CIH 2020 and 2010 Headers to CIH Combines 2300-1600

Adapts 2020 flex and 2010 rigid headers to combine models 2300-1600 in minutes.

- ✓ Complete installation in less than 15 minutes.
- ✓ Plug, calibrate combine, and go.
- ✓ Header converts back to CIH 8010 in seconds.
- ✓ Uses Headsight® conversion box.



NH 74C Flex Header to Unmatched Combine

Adapt NH 74C headers to a TR or other model combine.

- ✓ Controls height and tilt (if combine is equipped)
- ✓ Upgrades combine to infinite height control, and tilt sensitivity in the cab.
- ✓ Requires rotating the potentiometers on header then simply plug and go.
- ✓

Ordering Part Number - HB4-NHTR-31N



JD D-A-M (Dial-a-Matic)™ Headers to Unmatched Combines

Uses a simple potentiometer conversion package which replaces the D-A-M boxes on the header. One bundle for height, another bundle for tilt control.

Then plug and go with Headsight control box or wiring harness (depends upon the combine). Pricing varies upon the combine call for more info.

JD Sensors on Corn Headers to Unmatched Combine.

This kit allows JD factory sensors on a corn header to work with a JD combine that utilizes Dial-A-Matic for its auto height control.

Allows JD sensors to work with JD D-A-M combine

Uses our signature "Insight" control box

- ✓ Gives the operator infinite height control.
- ✓ Allows for sensor calibration
- ✓ Works with tilt and height circuits on combine.

Part Numbers:

60 SERIES CONNECTOR: HCO-JD10-31Q

50 SERIES CONNECTOR: HCO-JD10-31J



JD 9000 Combines w/out Header Control

For combines w/out header control we offer a simple easy to install system that gives the operator infinite height control. This system works with potentiometer based header sensors.

Ordering Part Number - HIC-HH10



Custom Jobs for Specialty Crops

If you have a need for header control on any type of harvesting device which utilizes electro-hydraulics, we will work with you.

We have provided auto height control solutions on a variety of pickers, choppers and harvesters. If you are interested, we can work with your specific situation. Call and ask for Rich.